Notice of Allowability	Application No.	n No. Applicant(s)		
	10/772,297	FUJIBAYASHI ET AL.		
	Examiner	Art Unit		
	Sunray Chang	2121		
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS	
1. This communication is responsive to 10/22/2007.				
2. X The allowed claim(s) is/are <u>1-5</u> .				
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents 	been received. been received in Application No		tion from the	
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements	
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			OTICE OF	
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date				
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
5. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application		
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☐ Examiner's Amendment/Comment		
3. Information Disclosure Statements (PTO/SB/08),				
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	8. Examiner's Statement of Reasons for Allowance		
	9Other			
·				

Application/Control Number:

10/772,297 Art Unit: 2121

P.O. Box 1450, Alexandria, Virginia 22313-1450 - www.uspto.gov

Examiner's Detailed Office Action

- 1. Claims 1-5 are allowed.
- 2. Claim 6 has been cancelled.

REASON FOR ALLOWANCE

- 3. The following is an Examiner's statement for reason for allowance:
- 4. Claims 1 5 are considered allowable since when reading the claims in light of the specification, as per MPEP 2111.01, none of the prior art of record teach or render obvious applicant's claimed invention. In particular, as pointed out below, the art lacks certain features and the combination as specified in the respective claim(s).
- 5. The features recited in claim 1, "calculating position data of the controlled axis by calculating the calculated position of the controlled axis corresponding to time as a function of the calculated position of the virtual axis moving at a fixed speed corresponding to time; storing the calculated position data on the calculated position of the controlled axis as a function of the calculated position of the virtual axis".
- 6. The features recited in claim 2, " ... calculating the position of a virtual axis moving at a fixed speed corresponding to time; ... synthesizing the acquired state of the I/0 signal with respect to the calculated position of the virtual axis; ... storing data on the acquired state of the I/0 signal obtained by said means for acquiring the state of an I/0 signal with respect to the calculated position of the virtual axis calculated by said means for calculating the position of a virtual axis".

Application/Control Number:

10/772,297

7.

Art Unit: 2121

Page 3

moving at a fixed speed corresponding to time; ... calculating position data on the calculated position of the controlled axis with respect to the calculated position of the virtual axis and the

The features recited in claim 3, "...calculating the position of a virtual axis function

acquired state of the I/O signal; ... storing the position data on the calculated position of the

controlled axis with respect to the calculated position of the virtual axis and the acquired state of

the I/0 signal",

Allowance".

as mentioned above, the art lacks certain features and the combination when taken in context of the claim(s) as a whole, was not uncovered in the prior art. Moreover, the dependent claims 4

and 5 are allowed as they depend upon an allowable independent claim(s).

8. Any comments considered necessary by applicant must be submitted no later that the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments regarding Statement of Reason for

Correspondence Information

9. Any inquires concerning this communication or earlier communications from the examiner should be directed to Sunray Chang, who may be reached Monday through Friday, between 6:00 a.m. and 3:00 p.m. EST. or via telephone at (571) 272-3682 or facsimile transmission (571) 273-3682 or email sunray.chang@uspto.gov.

If you need to send an Official facsimile transmission, please send it to (571) 273-8300.

If attempts to reach the examiner are unsuccessful the Examiner's Supervisor, David Vincent, may be reached at (571) 272-3080.

10/772,297

Art Unit: 2121

Hand-delivered responses should be delivered to the Receptionist @ (Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22313), located on the first floor of the south side of the Randolph Building.

Finally, information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Moreover, status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have any questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) toll-free @ 1-866-217-9197.

Sunray Chang

Patent Examiner
Generic Control System
Art Unit 2121
United States Department of Commerce
Patent & Trademark Office

Tuesday, January 29, 2008

SC

DAVID VINCENT SUPERVISORY PATENT EXAMINER